


BATTERYcharge 7PIN | 3PHASE | 16AMP




Type 2 to Type 2

Charge at home and on the move Type 2 to Type 2 PIN | 3PHASE



Connects to any 16A (3 phase) charging unit or station with a type 2 connection.

Charge anywhere any time



5m cable length

Ergonomic handles for optimal handling and a cable length of 5 meters



Drive with OSRAM into a more emission-free future

Discover the world of electric driving with OSRAM. Charge your fully electric or plug in hybrid type 2 vehicle from any 16A (3 phase) charging unit or station fitted with a type 2 connection point.

The 5m cable provides excellent connectivity at home or on the move.

The range of outstanding technical specification allows you to travel anywhere with the cable and charge with the heavy duty compact storage case.

Temperature rated at -40°C to 85°C gives you the flexibility to travel the hottest and coldest climates and top up your vehicle with confidence.

Product datasheet

Technical data

General Product Information

Global order reference	OCC21P05
------------------------	----------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172411127
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	532f1288-2242-4011-934c-b5fd51764123

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172411127	BATTERY charge 7PIN 3PHASE 16 AMP	Sleeves 1	340 mm x 200 mm x 108 mm	7.34 dm ³	2104.00 g
4062172411134	BATTERY charge 7PIN 3PHASE 16 AMP	Shipping carton box 1	400 mm x 120 mm x 390 mm	18.72 dm ³	2714.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Safety advice

DO NOT use this product on rainy days.

Make sure chargers are used in a safe, secure place and well out of the reach of young children or pets.

DO NOT damage the products willfully.

DO NOT drop the connector or press heavy objects on its surface.

DO NOT disassemble or assemble the connector and change the internal parts.

DO NOT clean the products using chemicals.

DO NOT charge while driving. Make sure the connector is fully inserted into the socket.

Legal advice

Application advice:

For more detailed application information and graphics please see sleeving & product datasheet.

Product datasheet

Disclaimer:

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release. Precise conditions at: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.