

# BATTERYjumpstart 1000TI



### Powerful lithium-ion jump starter with boost function

Jump-start 12V vehicles with petrol engines up to 5 liters and diesel engines up to 3 liters, even when the battery is completely depleted



### Integrated cordless tyre inflator

Check and inflate tyres on the go with the auto-stop tyre inflator



### Powerful work light

LED torch enables use in dark conditions with a bright white light with included red blink and SOS functions



### Power on the go

15V cigarette lighter socket and integrated USB power bank

## Product datasheet



### Efficient jump-starting for 12V vehicles with built-in tyre inflator

Be ready for various situations on the road with the OSRAM BATTERYjumpstart 1000TI.

This compact, multi-functional device includes five useful tools in one, providing essential support in emergencies. Its powerful jump-start feature is capable of bringing 12V vehicles back to life, including petrol engines up to 5 liters and diesel engines up to 3 liters. Even if your battery is completely depleted, the boost function provides the extra power needed to get you moving.

Need to keep your tyres in check? The built-in tyre inflator features a digital pressure gauge and auto stop function for easy, accurate inflation. The 12V socket lets you power a range of devices via the cigarette lighter, while the USB power bank ensures you can charge your phone or other gadgets wherever you are.

For added safety and convenience, the OSRAM BATTERYjumpstart 1000TI includes a powerful torch to illuminate dark workspaces. In case of emergencies, the red blinking light and SOS mode ensure you're visible and can signal for help when needed.

Stay powered, safe, and ready for the road with the OSRAM BATTERYjumpstart 1000TI – your all-in-one companion for any roadside challenge.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Lithium Starter & Tyre Inflator
Inflation time	13 Inch Tyre: 0-35 PSI/2.4 BAR in 3.5 min
Recommended Petrol Engine size (up to)	5 l
Recommended Diesel Engine size (up to)	3 l


### General Product Information

Global order reference	OJS020TI
------------------------	----------

### Electrical Data

Cranking Amps	300
Peak Amps	1000
Boost-Function (start batteries from 0V)	Yes

### Physical Attributes & Dimensions



Length	115.0 mm
Width	54.0 mm
Height	191.0 mm

### Additional product data

Type of Battery	Lithium Ion
Battery Capacity	12000 mAh
Charging Type	USB-C
Charging time	4 hr
Power bank function	Yes

### Environmental & Regulatory Information

## Product datasheet


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	71ad732d-61b0-475f-a9df-5fafc30d8e2f

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172408257	BATTERYjumpstart 1000TI	Folding carton box 1	125 mm x 123 mm x 255 mm	3.92 dm <sup>3</sup>	1269.00 g
4062172408264	BATTERYjumpstart 1000TI	Shipping carton box 4	265 mm x 260 mm x 280 mm	19.29 dm <sup>3</sup>	5576.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

File
 Brochures BATTERYjumpstart 1000TI Jump Starter and Tyre Inflator

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM